



www.rimstock.com

Team
Dynamics
ALLOY WHEELS



2013 ALLOY WHEEL RANGE

THE UK'S NO.1 CAST AND FORGED ALLOY WHEEL MANUFACTURER



● **UK & WORLDWIDE**

Rimstock PLC.
Ridgacre Road,
West Bromwich,
West Midlands, B71 1BB
Tel: +44 (0)121 525 6500
Fax: +44 (0)121 525 8499
Email: uksales@rimstock.com
www.rimstock.com

● **FRANCE**

Team Dynamics France,
1D, ZA La Plucharde
21110 BRETENIERE
France
Tel: +33 3 80 67 05 50
Fax: +33 3 80 67 05 52
Email: teamdynamicsfrance@orange.fr
www.teamdynamicsfrance.com

● **GERMANY**

Team Dynamics GmbH
Bodenseestrasse 222
81243 München
Germany
Tel: +49 89 18950980
Fax: +49 89 189509814
Email: info@teamdynamics.de
www.teamdynamics.de

● **USA**

Team Dynamics inc.
1885 S.Vineyard Ave.
Suite 4 Ontario,
California, 91761 USA
Tel: +909 947 0114
Fax: +909 947 5763
Email: usateamdyn@earthlink.net
www.rimstock.com



Team Dynamics PRO RACE 1.3 10 x 18 BTCC wheel

RRP PRICE: £10



40 YEARS OF BRITISH DESIGN & ENGINEERING MANUFACTURING HERITAGE

WHY RIMSTOCK?

A world leading manufacturer of alloy wheels for Original Equipment vehicle manufacturers and the Aftermarket. RIMSTOCK is the premier producer of aluminium wheels in the United Kingdom, boasting the largest and most advanced design and manufacturing facilities of any wheel producer in the UK.

ACCREDITATIONS

We are certified and comply with the international Quality and Environmental standards of TS 16949 and ISO 14001, which meet the requirements of modern Original Equipment Manufacturers in the automotive industry.

We have held accreditation through the TÜV Rhineland Group since 2008, and prior to implementing TS16949 we have been certified to ISO 9001 and QS 9000 standards since 1998.

ISO/TS 16949-2002 is designed to help companies implement effective and robust Quality Management Systems relating to the design, development, production, installation and servicing of all automotive related products which satisfies automotive mandates of International Automotive Task Force (IATF) members around the world.





FORMULA RENAULT



V8 SUPERCARS



BRITISH TOURING CAR



WORLDWIDE RALLY



NURBURGRING VLN



FORMULA FORD

COMPETITION WHEELS

WINNING THE WORLD OVER

Established as a strong reliable race wheel manufacturer, Rimstock have their Team Dynamics PRO RACE and PRO FORGED brands of high performance wheels and continue to be the chosen supplier by many national and international teams and race car constructors.

CHAMPIONSHIPS

Technical products at cost effective prices and logistical solutions for complete championships are what Rimstock work to provide for top OEM's and high profile championship organisers. Team Dynamics PRO RACE for cast alloy and PRO FORGED for forged wheel options give any championship a massive selection of sizes and offset variation to accommodate their styling and technical requirements.





PRO RACE

1.2

GLOSS BLACK

PRO RACE

1.3

HI POWER SILVER



LIGHTWEIGHT
HEAT TREATED
CAST ALLOY



1.2S



MATT BLACK



GLOSS WHITE



GLOSS GOLD



SILVER



MATT ANTHRACITE

SPECIAL COLOURS AVAILABLE



LIGHTWEIGHT
HEAT TREATED
CAST ALLOY



MATT BLACK



GLOSS BLACK



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
13 x 6.0	et 30 - 37	4 stud	98mm	114.3mm	from 4.0kgs (8.8lbs)
13 x 7.0	et 15 - 35	4 stud	98mm	114.3mm	from 4.5kgs (9.9lbs)
14 x 7.0	et 35 - 38	4 stud	98mm	114.3mm	from 5.7kgs (12.5lbs)
15 x 7.0	et 12 - 45	4 + 5 stud	98mm	114.3mm	from 6.2kgs (13.6lbs)
15 x 8.0	et 10 - 35	4 or 5 stud	98mm	114.3mm	from 7.4kgs (16.2lbs)
16 x 7.0	et 15 - 34	4 or 5 stud	98mm	120mm	from 7.9kgs (17.3lbs)
17 x 7.0	et 15 - 50	4 or 5 stud	98mm	120mm	from 8.2kgs (18.0lbs)
17 x 7.5	et 15 - 53	4 or 5 stud	98mm	120mm	from 7.0kgs (15.4lbs)
17 x 8.0	et 13 - 53	4 or 5 stud	98mm	120mm	from 9.0kgs (19.8lbs)
17 x 9.0	et 13 - 53	4 or 5 stud	98mm	120mm	from 9.5kgs (20.0lbs)
18 x 8.0	et 23 - 45	4 or 5 stud	98mm	120mm	from 9.0kgs (19.8lbs)
18 x 9.0	et 15 - 35	4 or 5 stud	98mm	120mm	from 9.7kgs (21.3lbs)

SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
17 x 9.0	et 40 - 45	5 stud	98mm	114.3mm	from 9.0kgs (19.8lbs)
18 x 8.5	et 15 - 52	5 stud	108mm	130mm	from 11.0kgs (24.2lbs)
18 x 10.0	et 15 - 65	5 stud	108mm	130mm	from 11.7kgs (25.8lbs)
19 x 8.5	et 15 - 52	5 stud	108mm	130mm	from 10.9kgs (23.9lbs)
20 x 9.0*	et 15 - 45	4 or 5 stud	98mm	120mm	from 14.8kgs (32.6lbs)

*HIGH LOAD 1025KGS CAPACITY





PRO RACE 3

GLOSS BLACK

PRO RALLY

SILVER



HEAT TREATED
CAST ALLOY



GLOSS WHITE



SILVER



MATT BLACK

HEAT TREATED
CAST ALLOY



BLACK



WHITE



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
15 x 7.0	et 15 - 45	4 + 5 stud	98mm	120mm	from 7.2kgs (15.8lbs)
17 x 7.0	et 15 - 45	4 + 5 stud	98mm	120mm	from 8.2kgs (18.0lbs)

SPECIFICATIONS


WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
15 x 6.0	et 12 - 53	4 or 5 stud	98mm	120mm	from 7.8kgs (17.2lbs)
15 x 7.0	et 12 - 53	4 or 5 stud	98mm	120mm	from 8.0kgs (17.6lbs)

FOR COMPETITION USE ONLY





V8 SUPERCARS: FORD FALCON FG



FORGED WHEEL BLANK



V8 SUPERCARS: TOLL HOLDEN RACING TEAM



V8 SUPERCARS WHEEL



V8 SUPERCARS: TEAM VODAFONE



V8 SUPERCARS WHEEL

COMPETITION PRO FORGED TECHNOLOGY

Aluminium forged and billet machined wheels are now a very popular engineering favourite for combining weight optimisation, strength and durability. The Team Dynamics Pro Forged range can be produced for complete Championships like Australian V8 Supercars looking for ultimate performance in a cost effective manner to GT and Sports Prototype racing where performance is sort like the holy grail.

Available 16 through to 22 inches in a comprehensive range of rim widths and offsets.



Team Vodafone V8 Supercar fitted with Team Dynamics 17 x 11 forged aluminum race wheels



PRO FORGED

1

MATT BLACK

PRO RACE

1.4G

MATT BLACK



FORGED
SUPER LIGHT



SILVER



FORGED
SUPER LIGHT



GLOSS GOLD



SILVER



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
19 x 8.5	et 38 - 50	5 stud	108mm	108mm	from 8.5kgs (18.7lbs)

SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	WEIGHT
16 x 7.0	et 31	4x100	from 5.4kgs (11.8lbs)
17 x 8.0	et 38	4x100	from 7.5kgs (16.5lbs)

LIGHTEST LOTUS WHEEL ON THE MARKET



PRO FORGED 2R

AVAILABLE FORGINGS

FORGED
ULTRA LIGHT



SPECIFICATIONS

WHEEL SIZE	OFFSET
8.5 x 18	et 10 - 50
9 x 18	et 10 - 50
10 x 18	et 15 - 65
11 x 18	et 20 - 61
12 x 18	et 20 - 58
13 x 18	et 20 - 73

CENTRE LOCK COMPATIBLE

SPECIFICATIONS

16 x 6.0 16 x 7.0 17 x 7.5 17 x 8.0 17 x 11.0 18 x 8.0 18 x 8.5 18 x 9.0 18 x 10 18 x 10.5 18 x 11 18 x 12 18 x 12.5 18 x 13 19 x 8.0 19 x 8.5 19 x 9.0 19 x 9.5 19 x 10.0 19 x 11 20 x 8.0 20 x 8.5 20 x 9.0 20 x 9.5 20 x 10 20 x 10.5 20 x 11 21 x 8.0 21 x 9.0 21 x 9.5 21 x 10 22 x 8.5 22 x 9.5 22 x 10 22 x 11.5

PLEASE CALL TO DISCUSS SPECIFIC REQUIREMENTS





LOTUS EVORA



MITSUBISHI L200



ASTON MARTIN VANTAGE



OVERFINCH RANGE ROVER SPORT



JAGUAR X-C16



SUBARU IMPREZA

ORIGINAL EQUIPMENT MANUFACTURED BY RIMSTOCK

Rimstock, the Team Dynamics parent company, manufactures cast and forged alloy wheels for some of the Worlds premier vehicle manufacturers.

Our pursuit of the highest possible quality standards in the industry, coupled with our focus on technical excellence are rewarded by the association with customers including Aston Martin, Bentley and Lotus.

The Team Dynamics range of alloy wheels are manufactured in the UK in exactly the same way, using the same plant, equipment and personnel so you can be sure that Team Dynamics alloy wheels are manufactured to the highest possible standards.



Aston Martin V12 Zagato fitted with wheels manufactured by Rimstock



LE MANS

MATT GRAPHITE / POLISHED FACE

JADE R

HI-POWER SILVER



MATT BLACK



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
17 x 7.5	et 37 - 45	5 stud	98mm	120mm
18 x 8.5	et 30 - 45	5 stud	100mm	120mm
19 x 8.5	et 20 - 45	5 stud	100mm	120mm
19 x 9.5	et 20 - 45	5 stud	100mm	120mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
18 x 8.5	et 35 - 45	5 stud	98mm	120mm
19 x 8.5	et 15 - 45	5 stud	98mm	120mm
19 x 10.0	et 20 - 45	5 stud	98mm	120mm





OPTIONAL GT CAP

IMOLA

HI-POWER SILVER

EQUINOX

HI-POWER SILVER / STAINLESS STEEL RIM



*ENGRAVING ON 17" AND 18" WHEELS ONLY



MATT BLACK / GT CAP



MATT GRAPHITE / GT CAP



HI-POWER SILVER / GT CAP



BLACK / STAINLESS STEEL RIM

REPLACEABLE STAINLESS STEEL RIM



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
17 x 7.5	et 37 - 45	4,5,8,10 stud	98mm	120mm
18 x 8.0	et 35 - 45	4,5,8,10 stud	98mm	120mm
19 x 8.5	et 35 - 45	5 stud	98mm	120mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
17 x 7.5	et 37-45	4/5	98mm	120mm
18 x 8.0	et 15-40	5	98mm	120mm
19 x 8.5	et 15-45	5	98mm	120mm
19 x 9.5	et 15-45	5	98mm	120mm
20 x 8.5	et 15-45	5/6	98mm	130mm
20 x 9.5	et 15-50	5	98mm	130mm
22 x 9.5	et 15-50	5/6	100mm	140mm





MONZA R/RS

HI-POWER SILVER

OPEN FACE OPTION

CYCLONE

SILVER



GT CAP OPTION



MONZA RS



WHITE



GLOSS GOLD



MATT BLACK



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
15 x 6.5	et 15 - 45	4,5,8,10 stud	98mm	120mm
16 x 7.0	et 15 - 45	4,5,8,10 stud	98mm	120mm
17 x 7.0	et 15 - 50	4,5,8,10 stud	98mm	120mm
18 x 7.5	et 15 - 45	4,5,8,10 stud	98mm	120mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.5	et 25 - 45	4 or 5 stud	98mm	115mm
17 x 7.0	et 38 - 45	4 or 5 stud	98mm	115mm





JET / RS

GLOSS BLACK / DIAMOND CUT RIM

NEW

SILVERSTONE

HI-POWER SILVER



GLOSS BLACK / RED LINE



SILVER



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
15 x 6.5	et 38 - 45	4,5,8,10 stud	98mm	115mm
17 x 7.0	et 38 - 45	4,5,8,10 stud	98mm	120mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
20 x 9.0	et 15- 50	5 Stud	108mm	120mm

WIDE REAR FITMENT COMING SOON. IMAGE SHOWN OF REAR





DSR

GLOSS ANTHRACITE MACHINED FACE

PRO DRIVE GT RANGE



PRO DRIVE GT1

EXPORT ONLY



EXPORT ONLY

PRO DRIVE GT2



GOLD



HI-POWER SILVER



GLOSS BLACK



GOLD



GLOSS ANTHRACITE



GLOSS BLACK



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
20 x 8.5	et 32	5 Stud	108mm	108mm
20 x 9.5	et 49	5 Stud	108mm	108mm



SPECIFICATIONS

	WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
GT1	18 x 7.5	et 46 - 55	5 Stud	100mm	100mm
GT1	18 x 8.5	et 53	5 Stud	114.3mm	114.3mm
GT2	19 x 8.5	et 53	5 Stud	114.3mm	114.3mm





SMARTIE

BLACK / DIAMOND CUT FACE

NEW

EAGLE

BLACK / DIAMOND CUT FACE



MATT BLACK



HI-POWER SILVER



SILVER

MATT BLACK



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.0	et 32	3 Stud	112mm	112mm
16 x 7.5	et 32	3 Stud	112mm	112mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.0	et 32	3 Stud	112mm	112mm
16 x 7.5	et 32	3 Stud	112mm	112mm



NEW

BALMORAL

BLACK / DIAMOND CUT FACE

NEW

SUPERLITE

FORGED

LOAD RATED TO
1025KGS



HI-POWER SILVER

LOAD RATED TO
1025KGS



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
20 x 9.0	et 30-50	5 Stud	108mm	130mm
22 x 10.0	et 30-50	5 Stud	108mm	130mm

SPECIFICATIONS

WHEEL SIZE	PCD	MIN PCD	MAX PCD
22 x 10	5 Stud	108mm	130mm
22 x 11.5	5 Stud	108mm	130mm





VOGUE

HI-POWER SILVER

MANHATTAN

SILVER



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
22 x 9.5	et 20 - 40	5 Stud	108mm	127mm



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
22 x 10	et 37 - 55	5 stud	112mm	130mm



NEW

SCORPION

GLOSS ANTHRACITE / DIAMOND CUT FACE

RIMFIRE

HI-POWER SILVER

LOAD RATED
1250KGS



LOAD RATED
1150KGS



HI-POWER SILVER



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
15 x 6.0	et 40 - 58	5 Stud	108mm	130mm	1120kg
16 x 6.5	et 40 - 62	5 Stud	108mm	130mm	1250kg



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
15 x 6.0	et 58	5 Stud	108mm	130mm	1025kg
16 x 6.5	et 38 - 50	5 Stud	108mm	130mm	1150kg





RIMFIRE

HDX5

HI-POWER SILVER

RIMFIRE

HDX6

HI-POWER SILVER



LOAD RATED
1250KGS



LOAD RATED
1215KGS



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
16 x 6.5	et 55-62	5 Stud	112mm	160mm	1250kg



SPECIFICATIONS

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
16 x 6.5	et 42-60	6+9 Stud	114.3mm	139.7mm	1215kg





PAINT FACILITY



DIGITAL MACHINE SHOP



11 STAGE PRE TREATMENT



HI TECH FORGED UNIT



WHEEL TEST FACILITY



IN HOUSE HEAT TREATMENT

TECHNOLOGY

MANUFACTURING & REFURBISHMENT



Rimstock is a premier manufacturer of race and specialist aluminium wheels, boasting the largest and most advanced manufacturing facilities of any wheel producer in the UK.

These facilities have now been expanded for high level wheel refurbishment. The Plant and systems are fully approved. NO OTHER UK wheel manufacturer or refurb company has these approvals and systems in place.

Services offered:

- Cosmetic rectification, pre-treatment and paint
- Wheel safety testing
- Pressure testing
- Crack detection
- X-ray
- Tyre removal & refit
- Alloy & Magnesium wheels catered for